

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Timothy J. Ohara, et al. Confirmation No.: 7665
Serial No.: 10/620,055 Art Unit: 1753
Filed : July 14, 2003 Examiner: Alexander S. NOGUEROLA
For : ELECTROCHEMICAL COAGULATION ASSAY AND DEVICE

I hereby certify that this correspondence or fee is being electronically filed
with the United States Patent and Trademark Office on

March 21, 2007

(Date of Deposit)

Sarah K. Flohr

(Name of applicant, assignee, or Registered Representative)



(Signature)

March 21, 2007

(Date of Signature)

EXPRESS ABANDONMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Dear Sir:

Applicant herewith abandon Application Serial No. 10/620,055 without prejudice to Applicant's rights in any inventions described and/or claimed therein or to the filing by Applicant of a new application directed to such inventions.

Johnson & Johnson
International Patent Law Division
Attn: Philip Johnson
P.O. Box 1222
New Brunswick NJ 08903
(408) 956-4790

DATE: March 21, 2007

Respectfully submitted,



Mayumi Maeda
Reg. No. 40,075
Attorney for Applicant